

To take account of this species the Southwood & Leston key (page 205) needs to be modified at couplet 2.

2. Tibiae with 3 dark and 2(-3) pale rings. Scutellum punctate. 3
Tibiae without 3 dark and 2 pale rings. Scutellum without puncturation. 4
3. 8.5–10 mm; margin of stink gland opening dark. *olivaceus*
7–9 mm; margin of stink gland opening pale, may be darker but not almost black as in *olivaceus* *flavilinea*
4. as per couplet 3 in Southwood & Leston (1959).

ACKNOWLEDGMENTS

I would like to thank Roger Hawkins for providing help with identification and references, and Dr Bernard Nau for contributing a photograph and confirming the identity.

REFERENCES

- Aukema, B. 1989. Annotated checklist of Hemiptera–Heteroptera of the Netherlands. *Tijdschrift voor Entomologie* 132: 45, 46.
- Aukema, B. & Rieger, C. (eds.) 1999. *Catalogue of the Heteroptera of the Palearctic Region*. Volume 3. The Netherlands Entomological Society, Amsterdam.
- Southwood, T. R. E. & Leston, D. 1959. *Land and water bugs of the British Isles*. Warne, London.
- Wagner, E. & Weber, H. H. 1964. *Hétéroptères Miridae*. Faune de France, 67. Paris.

SHORT COMMUNICATION

Records of *Phyllonorycter leucographella* (Zell.) (Lep: Gracillariidae), *Aethes beatricella* (Wals.) and *Cydia fagiglandana* (Zell.) (Lep.: Tortricidae) in S. Wales — Since *P. leucographella* was first found in the UK it has rapidly increased its distribution. On 7.i.2000 leaf mines were first noticed on *Pyracantha* leaves in suburban Cardiff [ST192783] and subsequently the mined leaves were noticed by David Slade in several places in central Cardiff. This may be the first record of the species in Wales. A further leaf mine was found by Mark Evans at Cwmbach, Aberdare [SO028018]. To date this is the only record away from the Cardiff area for *P. leucographella*. The species does not yet appear to have spread further west in Wales, despite careful searching by members of the Glamorgan Moth Group and similar groups in Carmarthenshire and Pembrokeshire.

Two other species new for Glamorgan (vc41) in 2000 were; *Aethes beatricella* (Wals.) (Lepidoptera: Tortricidae) found at actinic light on 1 July on Flat Holm Island [ST2264] by Gorden Avery. This species is also found on nearby Steep Holm Island and Brean Down in North Somerset. *Cydia fagiglandana* (Zell.) (Lepidoptera: Tortricidae) one specimen to my light at Llantrisant Forest [ST022846] 17.vii.2000 by Stefan Golaszewski & Mike Powell.